

# **REPORT**

## **3933 US ROUTE 11**

# **CORTLAND, NEW YORK 13045**

Order No. G100523794 Date: October 28, 2011

REPORT NO. 100523794CRT-001

TEST OF A FLASHLIGHT, MODEL: 3765

RENDERED TO

PELICAN PRODUCTS 23215 EARLY AVENUE TORRANCE, CA 90505

<u>TEST</u>: Mechanical shock testing was requested by the client.

<u>AUTHORIZATION</u>: The tests were authorized by quote no. Q500333163

SPECIFICATION: NATIONAL FIRE PROTECTION ASSOCIATION, NFPA, 1901 Automotive

Fire Apparatus.

<u>DESCRIPTION OF SAMPLE</u>: The client supplied one sample. The sample was received by Intertek on

October 4<sup>th</sup>, 2011 and tested as received. Sample designation number is

T11V001.

DATE OF TEST: October 17<sup>th</sup>, 2011.

| Sample  | Specification | Result |
|---------|---------------|--------|
| T11V001 | NFPA, 1901    | Pass   |



# **EQUIPMENT LIST**

| Equipment Used       | Model Number | Control Number | Calibration Due<br>Date |
|----------------------|--------------|----------------|-------------------------|
| Vibration Controller | UDC          | V254           | 1/14/12                 |
| Signal Conditioner   | CVA-4        | V272           | 12/16/11                |
| Accelerometer        | 10B10T       | N831           | 4/13/12                 |
| Torque wrench        | DM70NM       | N580           | 5/11/12                 |

## TEST, TEST METHOD, AND RESULTS OF TEST

MECHANICAL SHOCK TEST: NFPA, 1901 Automotive Fire Apparatus:


## Test Procedure:


The test sample was mounted in design orientation. The test fixture was rigidly secured to a vibration exciter. The test sample was subjected to a 11ms half sine shock pulse in the three mutually perpendicular axes. The NFPA standard calls for a 9 G force to be applied in the longitudinal axis of the vehicle and a 3 G force to be applied to any other direction. It was determined by Intertek that a 9 G force be applied in all directions in order to meet the requirements of the standard for all possible mounting configurations in the vehicle.

| Mounting Configuration | g-pk | Number of pulses | Width (ms) | Туре      |
|------------------------|------|------------------|------------|-----------|
| 1                      | 9g   | 3-, 3+           | 11ms       | Half Sine |
| 2                      | 9g   | 3-, 3+           | 11ms       | Half Sine |
| 3                      | 9g   | 3-, 3+           | 11ms       | Half Sine |
| 4                      | 9g   | 3-, 3+           | 11ms       | Half Sine |
| 5                      | 9g   | 3-, 3+           | 11ms       | Half Sine |
| 6                      | 9g   | 3-, 3+           | 11ms       | Half Sine |



# TEST, TEST METHOD, AND RESULTS OF TEST, Cont'd:







# TEST, TEST METHOD, AND RESULTS OF TEST, Cont'd:

# Results:

The test sample showed no signs of visible damage throughout testing. The test sample remained attached to the vehicle mounting device throughout the testing and maintained physical and electrical integrity.

In Charge Of Tests

John c. Robins


John Robins Technician I Lighting Division Report Reviewed By:

Jeremy N. Downs, P.E. Engineering Team Leader Lighting Division


Attachment: Picture page.

Mechanical shock plot page.

# TEST OF A FLASHLIGHT, MODEL: 3765 TESTED FOR PELICAN PRODUCTS.













# TEST OF A FLASHLIGHT, MODEL: 3765 TESTED FOR PELICAN PRODUCTS.

