



### **CL41 SINGLE CHARGER L.4000**





Dimensions: 76 x 131 x 47 mm

Weight: 0,375 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged

### **CL42 CHARGER FOR 2 L.4000**





Dimensions: 181 x 102 x 47 mm

Weight: 0,650 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged

### CL43 CHARGER FOR 3 L.4000



Dimensions: 256 x 102 x 47 mm

Weight: 0,900 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged

# www.adalit.com



Customer Service Fel.: +34 985 347 806 Fax: +34 985 358 378 nfo@adalit.com





#### CL44 CHARGER FOR 4 L.4000





Dimensions: 406 x 102 x 47 mm

Weight: 1,150 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged

### **CL45 CHARGER FOR 5 L.4000**



Dimensions: 406 x 102 x 47 mm

Weight: 1,400 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged



### CVL41 SINGLE CHARGER FOR VEHICLE L.4000





Dimensions: 76 x 131 x 47 mm

Weight: 0,310 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V / 24V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

### www.adalit.com







### **CVL42 CHARGER FOR VEHICLE FOR 2 L.4000**





Dimensions: 181 x 102 x 47 mm

Weight: 0,570 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V / 24V

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged

### **CVL43 CHARGER FOR VEHICLE FOR 3 L.4000**



Dimensions: 256 x 102 x 47 mm

Weight: 0,850 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V / 24V

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged





Dimensions: 331 x 102 x 47 mm

Weight: 1,100 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V / 24V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged



## www.adalit.com



Customer Service Fel.: +34 985 347 806 Fax: +34 985 358 378 nfo@adalit.com





### **CVL45 CHARGER FOR VEHICLE FOR 5 L.4000**



Dimensions: 406 x 102 x 47 mm

Weight: 1,310 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V / 24V

**Ingress protection: IP54** 

Charging status: red LED: charging / green LED: charged

## www.adalit.com

