



LED LIGHTING SOLUTIONS

Revolutionary Concepts For Shipboard Lighting

LLS360® HAZARDOUS LED FIXTURE

CLASS I, DIVISION 2



LISTINGS

UL844 Class I, Division 2 Groups A, B, C & D

ABS

UL1598 Wet/Damp

UL1598A Marine Outside

UL1598A Marine Inside

UL8750 LED Lighting

IP66

T4A or Better



Click for Quote

WATTAGE, VOLTAGE AND LUMENS

25Watt 120/277VAC 3,500 Lm

35Watt 120/277VAC 5,075 Lm

47Watt 120/277VAC 6,650 Lm

38Watt 347/480VAC 3,500 Lm

47Watt 347/480VAC 5,075 Lm

55Watt 347/480VAC 6,650 Lm

SPECIFICATIONS

Weight: Less than 8lbs

Dimensions: 11.5 x 13.1875 x 5.075

CCT: 4000K Standard (5000K Upon Request)



Voltage: 120/277 or 347/480VAC

Housing: Die-Cast Aluminum

Fasteners: Stainless Steel

Lens: Acrylic

Warranty: 5 Years



©LEDLIGHTINGSOLUTIONS

DIRECT.Info@1LLS.com

OFFICE.855.309.1702

FAX.941.296.7313

WWW.LEDLIGHTINGSOLUTIONS.COM

All rights reserved. LED Lighting Solutions reserves the right to change specifications for product improvement without prior notice.



LLS360 FIXTURE CONFIGURATIONS

LLS360- _____			
25	25 Watt (LV Only)	40	4000K
	35 Watt (LV Only)		5000K
	38 Watt (HV Only)	(5000K Upon Request)	
	47 Watt (LV & HV)	LV	120/277VAC
	55 Watt (HV Only)	HV	347/480VAC
		VM	Vessel Mount
		PM	Pendant Mount
		TM	Trunnion Mount

CONFIGURATION EXAMPLE




Part No. LLS360-47-40-HV-VM

Description LLS360 LED Fixture, 47Watt, 4000K, 347/480VAC, Vessel Mount

VESSEL MOUNT

PENDANT MOUNT


TRUNNION MOUNT






REPLACEMENT PARTS


PART NO.	DESCRIPTION
W-100M	LLS360 Cover Window
MNT-009-00	Vessel Mount, HAZLOC, LLS360
MNT-010-00	Pendant Mount, HAZLOC, LLS360
MNT-012-00	Trunnion Mount, HAZLOC, LLS360
LLS-PC-0018-00	LED Array, White, HAZLOC, LLS360
D-H360-01-25	LED Driver, 25Watt, 700mA, HAZLOC, LLS360
D-H360-01-40	LED Driver, 40Watt, 1050mA, HAZLOC, LLS360
D-H360-02-40	LED Driver, 40Watt, 1400mA, HAZLOC, LLS360
TRF-H01-01	Transformer 35VA, 480VAC
TRF-H01-02	Transformer 75VA, 480VAC



LLS360-25-40-LV-XX



LLS360-35-40-LV-XX



LLS360-47-40-LV-XX



Click for Quote