



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx EPS 16.0072X** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 3 Issue 2 (2018-10-15)
Date of Issue: 2019-09-09 Issue 1 (2017-06-22)
Applicant: **Pepperl+Fuchs AG** Issue 0 (2017-01-13)
Lilienthalstrasse 200
68307 Mannheim
Germany
Equipment: **Intrinsically Safe Tablet PC type Pad-Ex 01 ***
Optional accessory:
Type of Protection: **intrinsic safety**
Marking: Ex ic IIC T4 Gc IP64
Ex ic IIIB T135°C Dc IP64

Approved for issue on behalf of the IECEx
Certification Body:

Holger Schaffer

Position:

Manager Certification

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

Bureau Veritas Consumer Products Services Germany GmbH
Businesspark A96
86842 Türkheim
Germany





IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 16.0072X**

Page 2 of 4

Date of issue: 2019-09-09

Issue No: 3

Manufacturer: **Pepperl+Fuchs AG**
Lilienthalstrasse 200
68307 Mannheim
Germany

Additional manufacturing locations: ecom instruments GmbH
Industriestrasse 2
97959 Assamstadt

This product may be manufactured at all additional manufacturing locations/product sites listed in DE/PTB/QAR06.0008 and having congruent types of protection and congruent product types as defined in this certificate.

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-11:2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[DE/EPS/ExTR16.0071/01](#)

[DE/EPS/ExTR16.0071/02](#)

[DE/EPS/ExTR16.0071/03](#)

Quality Assessment Reports:

[DE/PTB/QAR06.0008/11](#)

[DE/PTB/QAR07.0004/05](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 16.0072X**

Page 3 of 4

Date of issue: 2019-09-09

Issue No: 3

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Pad-Ex 01 * is an intrinsically safe rugged tablet PC for use in explosive hazardous areas of zone 2 and zone 22.

Description *:

Z2	The device carries ATEX/IECEX marking
HR Z2	The device carries ATEX/IECEX marking and is equipped with Full HD display
DZ2	The device carries ATEX/IECEX and NEC/CEC marking
HR DZ2	The device carries ATEX/IECEX and NEC/CEC marking and is equipped with Full HD display
P8 Z2	The device carries ATEX/IECEX marking and is equipped with Full HD display and 8 th CPU generation
P8 DZ2	The device carries ATEX/IECEX and NEC/CEC marking and is equipped with Full HD display and 8 th CPU generation

The device can be equipped with different modules (4G LTE/WWAN, M.2 SSD, RAM, Scanner).

The device may only be used with accessories X-Strap, Shoulder-Strap, Hand-Strap or Leathercase, approved by ecom instruments GmbH.

Electrical data:

Battery powered, lithium ion battery pack 4100/3950 mAh and 7800 mAh

Type 1: R11AH 4100 mAh 11.1 V

Type 2: R11AH2 7800 mAh 11.1 V

Type 3: R11AH 3950 mAh 11.1 V

Ambient temperature range:

$-10\text{ °C} \leq T_a \leq +55\text{ °C}$

SPECIFIC CONDITIONS OF USE: YES as shown below:

The battery pack shall be removed, changed or charged only outside hazardous areas.

The impact test according to IEC 60079-0 was performed with reduced height. The equipment shall be protected from impacts with high impact energy, against excessive UV light emission and high electrostatic charge generating processes. External connections shall never be used in hazardous areas. The interface cover shall be closed in hazardous areas. Only use a damp cloth to clean the device.



IECEx Certificate of Conformity

Certificate No.: **IECEx EPS 16.0072X**

Page 4 of 4

Date of issue: 2019-09-09

Issue No: 3

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Change of applicant's name, Model Pad-Ex 01 P8 added