

Report No.: RL/2014/80065 Page 1 of 13 Issued: Sep. 15, 2014

Test report No.....: RL/2014/80065

Applicant Getac Technology Corporation

Address 5F, Building A, No.209, Sec 1, Nangang Rd., Nangang Dist., Taipei

Manufacturer: Same as applicant

Address: Same as applicant

Product: Tablet PC

Model: T800

Standard ENERGY STAR® Program Requirements Product Specification for

Computers Eligibility Criteria Version 6.1

Test specification.....: ENERGY STAR Test Method for Computers, Rev. August-2014

Country origin.....: Taiwan

Compiled by: Kai Chai

Reviewed by: Jimmy Lu

Test Engineer

Reviewer

Sep. 15, 2014

Sep. 15, 2014

ai Chai

Signature

Signature

General remarks:

Details and test results are given in subsequent pages of this report.

This report refers only to the unit(s) submitted for test.

"(see Enclosure #)" refers to additional information appended to the report.

"(see appended table)" refers to a table appended to the report. Throughout this report a point is used as the decimal separator. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms_e-document.htm

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: RL/2014/80065 Page 2 of 13 Issued: Sep. 15, 2014

TEST REPORT

Testing Laboratory Name: SGS Taiwan Ltd.

Address: No. 33, Wu Chyuan Road, New Taipei Industrial

Park, Wu Ku District, New Taipei City, Taiwan

Testing

Date of receipt of test item: Aug. 28, 2014

Test Equipment

Power meter NEWTONS4TH, Model: PPA2530 KinetiQ

AC power source IDRC, Model: CIF 3000EP

Test Environment

Ambient Temperature(°C) 24.8°C

Ambient Humidity (%): 66%

Test item particulars

Product Type: Tablet Computer

Trade mark: Getac

Model number....: T800

Serial number: N/A

Rating(s): 19Vdc, 3.42A

Model: ADP-65WH BB

External Power supply Rating(s).....: I/P: 100-240V~, 1.5A, 50-60Hz

O/P: 19Vdc, 3.42A

External Power supply efficiency level V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: RL/2014/80065 Page 3 of 13 Issued: Sep. 15, 2014

Product Type:	·
O.D.D. :	None
Operation system:	Windows 8.0
Networking and Additional Capabilities:	Base Capability
Wake on LAN:	N/A
Power Management	
Sleep Mode shall be set to activate after no more than 30 minutes of user inactivity:	Yes; The inactive time could be set-up according to the user's need and it could be more than 30 minutes
Display Sleep Mode shall be set to activate after no more than 15 minutes of user inactivity:	Yes; The inactive time could be set-up according to the user's need and it could be more than 15 minutes
Automatically disabled when the product is disconnected from ac mains power:	N/A
Computers with Ethernet capability shall provide users with an option to enable and disable WOL for Sleep Mode:	N/A
Computers shall be shipped with WOL enabled by default for Sleep Mode, when the computer is operating on ac mains power:	N/A
Computers provide users with the ability to enable WOL that is accessible from both the client operating system user interface and over the network:	N/A
Computers shall be capable of both remote (via network) and scheduled (via real-time clock) wake events from Sleep Mode and provide clients with the ability to centrally manage (via vendor tools) any wake management settings that are configured through hardware settings if the manufacturer has control over such features:	N/A
Directed packet filters shall be enabled and set to an industry standard default configuration:	N/A
User Information	
A description of power management settings that have been enabled by default:	Yes
A description of the timing settings for various power management features:	Yes
Instructions for properly waking the product from Sleep Mode:	Yes
A list of default power management settings::	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to

Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised Termination and contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號



Report No.: RL/2014/80065 Page 4 of 13 Issued: Sep. 15, 2014 A note stating that default power management settings have been selected for compliance with Yes ENERGY STAR and are recommended by the ENERGY STAR program for optimal energy savings: Information about ENERGY STAR and the benefits of power management, to be located at or near the Yes beginning of the hard copy or electronic user manual, or in a package or box insert: Provisions 3.4.1 and 3.4.2 may be met through use The user manual was provides in the package and of either electronic or printed product documentation: only with ENERGY STAR certified Computers. Minimum Efficiency at 10% of external Power supply: N/A Minimum Average Efficiency >88%: N/A Allowance PSU: 0 Category: 12 TEC BASE (kWh) 24 RAM.....: 4G TEC _{MEMORY} (kWh): 3.2 Graphics Processing Unit type: N/A Frame buffer bandwidth.....: N/A TEC _{GRAPHICS} (kWh) 0 Energy Efficient Ethernet N/A TEC _{EEE}(kWh): 0 Storage device.: One S.S.D. 64G TEC STORAGE (kWh): 0 Display viewable screen area (inch): 29.48764045 Screen resolution (megapixels): 1.024 TEC INT_DISPLAY (kWh) 6.93 E_{TEC MAX} = (1+ALLOWANCE_{PSU}) × (TEC_{BASE} + TECMEMORY + TECGRAPHICS + TECSTORAGE +

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

TECINT_DISPLAY + TECSWITCHABLE + TECEEE):

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: RL/2014/80065 Page 5 of 13 Issued: Sep. 15, 2014

Copy of marking plate:

The artwork below may be only a draft.

Unit







US LISTED

Tablet PC

MODEL: T800

INPUT: 19V == 3.42A

ATTENTION: Use only with the appropriate AC adapter

Utiliser uniquement avec le bon adaptateur secteur

This device complies with part 15 of FCC rules.

Operation is subject to the following two conditions: (1)this device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause un-desired operation.

ATTENTION ·

MADE IN CHINA

This surface is hot, avoid continuous body contact and do not place the notebook on your lap while the it is operating. Cette surface est chaude, éviter en continu contact du corps et ne placez pas le portable sur vos genoux pendant que l'ordinateur est en fonctionnement.

Contains FCC ID :QYL7260NGW



S/N:



Group A,B,C and D,T6,Tamb=40°C



Adaptor



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to

Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號



Page 6 of 13 Report No.: RL/2014/80065 Issued: Sep. 15, 2014

Measurement Result:

Test Voltage & Frequency	100V / 50Hz				
Operation Condition	Off mode				
Measured Input Power (W)	0.28				
Operation Condition	Sleep mode				
Measured Input Power (W)	0.46				
Operation Condition	Long Idle mode				
Measured Input Power (W)	7.02				
Operation Condition	Short Idle mode				
Measured Input Power (W)	7.47				
Measured: E _{TEC} = (8760/1000) x (P _{OFF} x T _{OFF} + P _{SLEEP} x T _{SLEEP} + P _{PLONG_IDLE} x T _{PLONG_IDLE} + P _{SHORT_IDLE} x T _{SHORT_IDLE})	25.43				
Required: TEC(kWh)	34.13				
Conclusion	Complied				

Test Voltage & Frequency	100V / 60Hz				
Operation Condition	Off mode				
Measured Input Power (W)	0.28				
Operation Condition	Sleep mode				
Measured Input Power (W)	0.46				
Operation Condition	Long Idle mode				
Measured Input Power (W)	7.07				
Operation Condition	Short Idle mode				
Measured Input Power (W)	7.49				
Measured: E _{TEC} = (8760/1000) x (P _{OFF} x T _{OFF} + P _{SLEEP} x T _{SLEEP} + P _{PLONG_IDLE} x T _{PLONG_IDLE} + P _{SHORT_IDLE} x T _{SHORT_IDLE})	25.51				
Required: TEC(kWh)	34.13				
Conclusion	Complied				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised Termination and contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號



Page 7 of 13 Report No.: RL/2014/80065 Issued: Sep. 15, 2014

Test Voltage & Frequency	115V / 60Hz				
Operation Condition	Off mode				
Measured Input Power (W)	0.28				
Operation Condition	Sleep mode				
Measured Input Power (W)	0.46				
Operation Condition	Long Idle mode				
Measured Input Power (W)	7.06				
Operation Condition	Short Idle mode				
Measured Input Power (W)	7.52				
Measured: E _{TEC} = (8760/1000) x (P _{OFF} x T _{OFF} + P _{SLEEP} x T _{SLEEP} + P _{PLONG_IDLE} x T _{PLONG_IDLE} + P _{SHORT_IDLE} x T _{SHORT_IDLE})	25.58				
Required: TEC(kWh)	34.13				
Conclusion	Complied				

Test Voltage & Frequency	230V / 50Hz				
Operation Condition	Off mode				
Measured Input Power (W)	0.30				
Operation Condition	Sleep mode				
Measured Input Power (W)	0.49				
Operation Condition	Long Idle mode				
Measured Input Power (W)	7.23				
Operation Condition	Short Idle mode				
Measured Input Power (W)	7.94				
Measured: E _{TEC} = (8760/1000) x (P _{OFF} x T _{OFF} + P _{SLEEP} x T _{SLEEP} + P _{PLONG_IDLE} x T _{PLONG_IDLE} + P _{SHORT_IDLE} x T _{SHORT_IDLE})	26.87				
Required: TEC(kWh)	34.13				
Conclusion	Complied				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised Termination and contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號



Report No.: RL/2014/80065 Page 8 of 13 Issued: Sep. 15, 2014

Conclusion

This UUT complies with the following requirements:

ENERGY STAR® Program Requirements Product Specification for Computers Eligibility Criteria Version 6.0

1. TEC will be determined using the formula below: $E_{TEC} = (8760/1000) \times (P_{OFF} \times T_{OFF} + P_{SLEEP} \times T_{SLEEP} + P_{PLONG_IDLE} \times T_{PLONG_IDLE} + P_{SHORT_IDLE} \times T_{SHORT_IDLE}).$ Where all P_x are power values in watts, all T_x are Time values in % of year, and the TEC E_{TEC} is in units

of kWh, mode weighting in following Table

		Full Network Connectivity				
Mode Weighting	Conventional	Base Capability Remote Wake		Service Discovery / Name Services	Full Capability	
T _{OFF}	25%	25%	25%	25%	25%	
T _{SLEEP}	35%	39%	41%	43%	45%	
T _{LONG IDLE}	10%	8%	7%	6%	5%	
T _{SHORT IDLE}	30%	28%	27%	26%	25%	

2. The represents annual energy consumption based on category in following tables:

Base TEC (TEC BASE) Allowances:

		Deskt Integrated		Notebook		
Category Name	Graphics Capability ^{iv}	Performance Score, P ^v	Base Allowance	Performance Score, P ^v	Base Allowance	
0	Any Graphics dGfx ≤ G7	P≤3	69.0	P≤2	14.0	
I1	Integrated or Switchable Graphics	3 < P ≤ 6	112.0	2 < P ≤ 5.2	22.0	
12		6 < P ≤ 7	120.0	5.2 < P ≤ 8	24.0	
13		P > 7	135.0	P > 8	28.0	
D1	Discrete	3 < P ≤ 9	115.0	2 < P ≤ 9	16.0	
D2	Graphics dGfx ≤ G7	P > 9	135.0	P > 9	18.0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Report No.: RL/2014/80065 Page 9 of 13 Issued: Sep. 15, 2014

Functional Adder Allowances:

Functional Adder Allowances.					
Function		Desktop	Integrated Desktop	Notebook	
TEC	TEC _{MEMORY} (kWh) ^{VI}		0.8		
	G1 (FB_BW ≤ 16)	36		14	
		G2 (16< FB_BW ≤ 32)	51		20
	,	G3 (32 < FB_BW ≤ 64)	64		26
TEC	tegor	G4 (64 < FB_BW ≤ 96)		83	32
(HMN) iiv soinderabach scripphics Category viii	cs Ca	G5 (96 < FB_BW ≤ 128)	105		42
	Graphi	G6 (FB_BW > 128; Frame Buffer Data Width < 192 bits)	115		48
		G7 (FB_BW > 128; Frame Buffer Data Width ≥ 192 bits	130		60
TECs	WITCHA	_{BLE} (kWh) ^{ix}	0.5 × G1		N/A
TEC _{EEE} (kWh) ^x		8.76 × 0.2 × (0.15 + 0.35)		8.76 × 0.2 × (0.10 + 0.30)	
TEC	TEC _{STORAGE} (kWh) ^{XÍ}		26		2.6
TEC _{INT_DISPLAY} (kWh) ^{xii}		N/A	8.76 × 0.35 × (1+EP) × (4×r + 0.05×A)	8.76 × 0.30 × (1+ <i>EP</i>) × (2× <i>r</i> + 0.02× <i>A</i>)	

- 3. This product has energy saving mode settings as default setting.
- Sleep mode which is set to activate within 30 minutes of user inactivity.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised Termination on contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號



Page 10 of 13 Report No.: RL/2014/80065 Issued: Sep. 15, 2014

Photo document



External view



External view

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised Termination and contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.33,Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號




Report No.: RL/2014/80065 Page 11 of 13 Issued: Sep. 15, 2014

Photo document



Internal view



-End of report-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised Termins and Conditions for Electronic Documents at www.sgs.com/rerms. Any notider or this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.33, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 33 號